

# South Asian Model of Mental Health Care: a way to recovery

**Mohammad S I Mullick**

MBBS, FCPSPsych, MRCPsych, DCAP

Professor of Child and Adolescent  
Psychiatry

Department of Psychiatry

BSM Medical University, Dhaka, Bangladesh

# South Asian Region



- **Population:**
  - 1500 M (20% world)
- **Literacy:** 41-90%( 40% of total educationally deprived world population)
- **Religion**
- **Language**
- **Economy:**
  - Only 1.5% of the global income (GDP\$ 1770 – 4798)
  - GNI Per capita (US\$) in 2005
    - AF-250, BD-470, BTN-870, IND-720, MDV-2390, NPL-270, PAK-690, SL-1160, (World Bank, 2007)

# Unity within Diversity

- **Similar Psychiatric Problems**
  - shared geo-socio-cultural inheritance
- **Nearly Similar Care, Training and Research:**
  - substandard care
  - inadequate training
  - under-funded research

# Mental Health in South Asia

- **Epidemiology:**

- similar prevalence

- **Socio-cultural:**

- myth of spirit possession
- role of faith healers and village doctors
- cultural attitudes
- professional attitude
- strong family support

- **Presentation:**

- more somatization
- religious content in OCD
- pseudo-psychotic presentation of hysteria
- earlier onset dementia

- **Prognosis:**

- Better in schizophrenia

# Psychiatry in South Asia

- **Teaching and Training Situation:**
  - inadequate undergraduate training
  - limited opportunity for postgraduate training
- **Service Facilities:**
  - less concern of policy makers
  - inadequate funding and resources
  - lack / inadequate MDT
  - poor integration with general health care
  - vast gap between need and provision
  - unsuitability of Western models of care

# Psychiatry in South Asia

- **Ultimate achievement is far beyond than the level of Expectation**
- **Majority of the people is out of the mental health coverage**
- **Practically impossible to cover the need in the near (also far) future**
- **No practicable mission and vision for the advancement of mental health**

# Need for Regional Strategy

- **Failure of the western models of care and training**
  - lack of funding and poor resources
  - lack of properly trained psychiatrists
  - Continuous brain drainage
  - cultural differences not considered
  - unable to meet the need for the majority of the people

# **Ideal Regional Model of Mental Health Care**

## **Ideal Regional Mental Health Model:**

- **affordable**
- **based on available resources to need**
- **part and parcel of NHS**
- **collaborative between South Asian countries**
- **active involvement at private level**



# Basis for a Regional Model of Mental Health Care

- **Common Socio-Cultural Background**
  - Traditional society, strong family support and a high degree of cohesiveness within the family
- **Excellent Health Infrastructure**
  - Adequate potential manpower
  - Good number of non-government agencies
  - Growing awareness at all level
- **Increasing regional Commitment**
  - to implement socio-economic-cultural and educational programs

# Components of a Regional Model of Mental Health Care

- **Short Course in Mental Health Training**
  - GPs, health workers, social workers
- **Integration of Mental Health Services**
  - with general health service at all levels
- **Collaborations Among**
  - public and private sectors, media
- **Collaborations with Drug Companies**
  - To provide essential drugs at low cost
- **Culture-sensitive Treatment Approach**
  - family, religious and other community leaders
- **Health Services Research in Psychiatry**

# Role of RCPSYCH in Developing Regional Model of Mental Health Care

- **Need for Collaborations**
  - regional mental health organizations (SAARC Psychiatric Federation-SPF, South Asian Forum on Mental Health & Psychiatry-SAFI, Asian Federation of Psychiatric Association-AFPA, WPA Section on Psychiatry in Developing Countries)
  - national psychiatric organizations
  - link with parallel Colleges, Institutes, Universities in improving psychiatric training on local needs
  - in exchange programs, e.g., experts
  - in research projects

# **Role of RCPSYCH in Regional Model of Mental Health Care**

- **Dialogue and coordinated initiatives**
- **Commitment and partnership**
- **Strengthening & empowerment of South Asian International Division-taking action oriented programs**
- **Assistance program for Developing Countries**

# Conclusions

- **Psychiatry in South Asian Region is:**
  - Generally underdeveloped & underachieved
  - In the state of need based development
  - Significant improvement recent years in:
    - awareness on need, importance of regional communication and collaboration
  - Excellent room for further improvement
- **Potential collaboration with neighboring nations**
- **Critical role of the RCPSYCH in :**
  - developing regional model of care

# A Psychiatrist's Prayer: Love Thy Patient

Life is indeed darkness

**save when there is urge,**

And all urge is blind

**save when there is knowledge**

And all knowledge is vain

**save when there is work**

And all work is empty

**save when there is love**

**Kahlil Gibran**



Thank You

# **Mental Health Care in South Asia: Need for a Regional Model of Care**

**Mohammad S I Mullick**

**MBBS, FCPSPsych, MRCPPsych, DCAP**

**Professor, Child and Adolescent Psychiatry**

**Department of Psychiatry**

**BSM Medical University, Dhaka, Bangladesh**

**Email: [mullick@bdonline.com](mailto:mullick@bdonline.com)**